

X-SKEL 34MM MSR CANTILEVER MOUNT - 34MM ULTRA HIGH (1.435") 0 MOA MOUNT, OD GREEN

Based on Warne's innovative R.A.M.P. Mount platform, this Gen II Edition has all the features you need. The X-SKEL Mount offers a lightweight scope mounting solution for your MSR style firearm with the same durable, return to zero reputation that you've come to expect from Warne. This mount is CNC precision machined from 6061 aluminum and we've been able to reduce the weight by over 30%, compared to their R.A.M.P. Mount, by utilizing a skeletonized body and ring caps. The X-SKEL provides an additional inch of forward cantilever, compared to the original SKEL Mount, as well as a 1 piece side clamp design for additional strength. The extra cantilever provides proper eye relief when using scopes with large eye boxes and will give extra space behind the mount for accessories like the Warne 45° side mount adaptor. Lightweight, skeletonized aluminum body and caps to reduce overall weight without sacrificing reliability. #8 Torx style fasteners with steel threaded inserts to prevent stripping. Additional 1 Inch cantilever forward design to provide additional eye relief. Places your optic at the Ideal Height for MSR and similar platforms. Dual 1/2" tactical nut attachment, 65 in/lb. of torque is recommended.



Attributes

- Name: 34MM ULTRA HIGH (1.435") 0 MOA MOUNT, OD GREEN
- Manufacturer: WARNE MFG. COMPANY
- Product no.: 947000546
- Mfr. No.: XSKEL34OD
- Finish: O.D. Green
- Height: 1.435
- Scope Tube Diameter: 34mm
- Style: Picatinny
- Delivery weight: 0.254kg
- Shipping height: 64mm
- Shipping width: 165mm
- Shipping length: 184mm
- UPC: 656813104932

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: XSKEL 34MM MSR Cantilever Mount Safety Instruction Guide](#)
- [Český: Návod k bezpečnému používání produktu XSKEL 34MM MSR CANTILEVER MOUNT](#)

XSKEL 34MM MSR Cantilever Mount Safety Instruction Guide

Introduction

Thank you for choosing the XSKEL 34MM MSR Cantilever Mount. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your mount. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the mount is compatible with your firearm and scope before installation.
- Always follow the manufacturer's instructions for installation and usage.
- Regularly inspect the mount for signs of wear or damage.
- Do not exceed the recommended torque specifications during installation.
- Keep the mount and all associated tools out of reach of children.
- If you are unsure about any aspect of installation or usage, seek professional assistance.

Specific Safety Precautions for Use

- Use only the recommended fasteners and tools as specified in the installation instructions.
- Ensure that the mount is securely attached to the firearm before use.
- Do not modify the mount in any way, as this may compromise its safety and performance.
- Avoid using the mount in extreme environmental conditions that may affect its integrity.
- Always check the alignment of your scope after installation to ensure proper sighting.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a #8 Torx screwdriver.
- Ensure that your firearm is unloaded and pointed in a safe direction.

2. Mounting the XSKEL

- Position the mount on the Picatinny rail of your firearm.
- Align the mount to ensure it is level and in the desired position.
- Use the #8 Torx fasteners to secure the mount to the rail. Tighten to a torque of 65 in/lb.

3. Attaching the Scope

- Place your scope into the mount's rings.
- Adjust the position of the scope to achieve optimal eye relief.
- Secure the scope in place by tightening the ring caps. Ensure they are evenly tightened.

4. Final Checks

- Doublecheck all fasteners for tightness.
- Verify that the scope is properly aligned and securely mounted.
- Conduct a function check of your firearm to ensure everything is operating correctly.

Disposal Instructions

- Dispose of the mount and any packaging materials in accordance with local regulations.
- Do not dispose of the mount in household waste. Check for local recycling programs that accept metal products.

Contact Information for Further Support

For any questions or concerns regarding the XSKEL 34MM MSR Cantilever Mount, please reach out to your retailer or the manufacturer directly. Ensure that you have your purchase details available for reference.

Conclusion

The XSKEL 34MM MSR Cantilever Mount is designed for durability and reliability. By following the safety guidelines and instructions provided in this guide, you can ensure a safe and effective experience with your mount. Thank you for your attention to safety, and enjoy your shooting experience.

Návod k bezpečnému používání produktu XSKEL 34MM MSR CANTILEVER MOUNT

Úvod

Děkujeme, že jste si zakoupili montáž XSKEL 34MM MSR Cantilever Mount od Warne MFG. Company. Tento produkt je navržen tak, aby poskytoval bezpečné a spolehlivé uchycení optiky na vaši zbraň typu MSR. Před použitím si prosím pozorně přečtěte tento návod, abyste zajistili bezpečné používání a správnou instalaci.

Obecné bezpečnostní pokyny

- Před použitím produktu zkontrolujte, zda není poškozený.
- Ujistěte se, že montáž je správně nainstalována podle pokynů.
- Používejte produkt pouze v souladu s jeho určením.
- Uchovávejte produkt mimo dosah dětí a zranitelných osob.
- Pokud zjistíte jakékoli nebezpečné situace nebo problémy s produktem, ihned kontaktujte příslušné úřady.

Specifická bezpečnostní opatření při používání

- Zajistěte, aby byla montáž správně utažena podle doporučeného točivého momentu (65 in/lb).
- Při manipulaci s montáží používejte ochranné brýle, abyste se vyhnuli zranění očí.
- Při instalaci se ujistěte, že jsou všechny šrouby a matice správně umístěny a utaženy.
- Nedotýkejte se optiky, pokud je montáž nainstalována na zbrani, dokud není zbraň bezpečně uložena.
- V případě poškození produktu nepoužívejte montáž a kontaktujte autorizovaný servis.

Pokyny pro instalaci a používání

1. Příprava na instalaci:

- Zkontrolujte, zda máte všechny potřebné nástroje, včetně Torx šroubováku #8.
- Ujistěte se, že montážní plocha na zbrani je čistá a suchá.

2. Instalace montáže:

- Umístěte montáž na Picatinny lištu na zbrani.
- Ujistěte se, že montáž je správně umístěna a zarovnána.
- Pomocí Torx šroubováku utáhněte šrouby na doporučený točivý moment 65 in/lb.
- Zkontrolujte, zda je montáž pevně uchycena a nehoupe se.

3. Použití montáže:

- Umístěte optiku do montáže a ujistěte se, že je správně zajištěna.
- Při používání montáže dbejte na to, aby byla zbraň vždy v bezpečné poloze.

Pokyny pro likvidaci

- Produkt a jeho obaly likvidujte podle místních předpisů o odpadech.
- Pokud je produkt poškozen, zlikvidujte jej způsobem, který neohrožuje životní prostředí.

Kontaktní informace pro další podporu

Pokud máte jakékoli dotazy nebo potřebujete další informace o produktu, obraťte se na autorizovaný servis nebo prodejce. Ujistěte se, že máte k dispozici všechny relevantní informace o produktu, včetně čísla modelu a datumu zakoupení.